

Product

PCC 5310



PCC-5310 is a tool frame for interchangeable crimp dies for coaxial connectors, PCC-5310 die sets. The user can cover several connectors in just one tool frame.

- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the frame without dies.

TECHNICAL DATA

Length: 200 mm/7.87"


Width: 26 mm/1.02"

Height: 164 mm/6.46"

Weight: 525 gr/1.16 lb

Description: Tool frame for PCC-5310 die sets, coaxial connectors

Life span, cycles: 50,000




PCC 5310/01 VA

PCC-5310 Die set with nest 1.46 mm, 2.67 mm/.057", .105", HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.


- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the die set without frame.

Following dies are also available:



Die profile



Crimp profile

TECHNICAL DATA

Length: 38 mm/1.5"

Width: 21 mm/0.83"

Height: 8 mm/0.31"

Weight: 30 gr/0.07 lb

Crimp dimensions mm/mm²:

1.46 mm HEX/2.67 mm HEX

Crimp dimensions inch/AWG:


.057/.105

Connector: Coaxial connector

Description: For type BT connectors on RG 178.

Life span, cycles: 50,000

Cables: RG178B/U




PCC 5310/02 VB

PCC-5310 Die set with nest 1.46 mm, 3.25 mm/.057", .128", HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.


- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the die set without frame.

Following dies are also available:



Die profile



Crimp profile

TECHNICAL DATA

Length: 38 mm/1.5"

Width: 21 mm/0.83"

Height: 8 mm/0.31"

Weight: 30 gr/0.07 lb

Crimp dimensions mm/mm²:

1.46 mm HEX/3.25 mm HEX


Crimp dimensions inch/AWG:

0.057/0.128

Connector: Coaxial connector

Description: For type BT connectors on RG179, RA8000, MRP6004

Life span, cycles: 50,000




PCC 5310/03 VC

PCC-5310 Die set with nest 1.46 mm, 4.52 mm/.057", .178", HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.


- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the die set without frame.

Following dies are also available:



Die profile



Crimp profile

TECHNICAL DATA

Length: 38 mm/1.5"

Width: 21 mm/0.83"

Height: 8 mm/0.31"

Weight: 30 gr/0.07 lb

Crimp dimensions mm/mm²:

1.46 mm HEX/4.52 mm HEX

Crimp dimensions inch/AWG:


0.057/0.178

Connector: Coaxial connector

Description: For type BT connectors on BT2001/3002 TZC75024.

Life span, cycles: 50,000

Cables: RG122/U, RG180B/U, RG279/U, RG303/U




PCC 5310/04 VD

PCC-5310 Die set with nest 1.46 mm, 5.41 mm/.057", .213", HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.



Die profile



Crimp profile

- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

TECHNICAL DATA

Length: 38 mm/1.5"

Width: 21 mm/0.83"

Height: 8 mm/0.31"

Weight: 30 gr/0.07 lb

Crimp dimensions mm/mm²:

1.46 mm HEX/5.41 mm HEX

Crimp dimensions inch/AWG:

0.057/0.213

Connector: Coaxial connector


Description: For type BT connectors on URM 201 202 207 208

Life span, cycles: 50,000

Cables: RG142B/U, RG223/U, RG302/U, RG58C/U


The part number is a reference to the die set without frame.

Following dies are also available:




PCC 5310/05 VE

PCC-5310 Die set with nest 1.46 mm, 6.48 mm/.057", .255", HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.



Die profile



Crimp profile


- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

TECHNICAL DATA

Length: 38 mm/1.5"
Width: 21 mm/0.83"
Height: 8 mm/0.31"
Weight: 30 gr/0.07 lb
Crimp dimensions mm/mm²:
 1.46 mm HEX/6.48 mm HEX
Crimp dimensions inch/AWG:
 0.057/0.255
Connector: Coaxial connector
Description: For type BT connectors.
Life span, cycles: 50,000
Cables: RG108A/U, RG210/U,
 RG59B/U, RG62A/U, RG62B/U,
 RG71B/U

The part number is a reference to the die set without frame.

Following dies are also available:




PCC 5310/06 VQ

PCC-5310 Die set with nest 1.46 mm, 5.18 mm/.057", .204", HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.


- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the die set without frame.

Following dies are also available:



Die profile



Crimp profile

TECHNICAL DATA

Length: 38 mm/1.5"

Width: 21 mm/0.83"

Height: 8 mm/0.31"

Weight: 30 gr/0.07 lb

Crimp dimensions mm/mm²:

1.46 mm HEX/5.18 mm HEX


Crimp dimensions inch/AWG:

0.057/0.204

Connector: Coaxial connector

Description: For type BT connectors on BT2002.

Life span, cycles: 50,000




PCC 5310/07 VR

PCC-5310 Die set with nest 1.46 mm, 6.81 mm/.057", .268", HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.


- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the die set without frame.

Following dies are also available:



Die profile



Crimp profile

TECHNICAL DATA

Length: 38 mm/1.5"

Width: 21 mm/0.83"

Height: 8 mm/0.31"

Weight: 30 gr/0.07 lb

Crimp dimensions mm/mm²:

1.46 mm HEX/6.81 mm HEX


Crimp dimensions inch/AWG:

0.057/0.268

Connector: Coaxial connector

Description: For type BT connectors on BT2003.

Life span, cycles: 50,000




PCC 5310/08 WA

PCC-5310 Die set with nest 1.69 mm, 2.67 mm/.067\", .105\", HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.


- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the die set without frame.

Following dies are also available:




Die profile



Crimp profile


TECHNICAL DATA

Length: 38 mm/1.5"
Width: 21 mm/0.83"
Height: 8 mm/0.31"
Weight: 30 gr/0.07 lb
Crimp dimensions mm/mm²:
 1.69 mm HEX/2.67 mm HEX
Crimp dimensions inch/AWG:
 0.067/0.105
Connector: Coaxial connector
Description: For type BT connectors.
Life span, cycles: 50,000
Cables: RG178B/U




PCC 5310/09 WB

PCC-5310 Die set with nest 1.69 mm, 3.25 mm/.067\", .128\", HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.



Die profile



Crimp profile

- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

TECHNICAL DATA

Length: 38 mm/1.5"

Width: 21 mm/0.83"

Height: 8 mm/0.31"

Weight: 30 gr/0.07 lb

Crimp dimensions mm/mm²:

1.69 mm HEX/3.25 mm HEX

Crimp dimensions inch/AWG:

0.067\"/0.128

Connector: Coaxial connector


Description: For type BT connectors on RG 179.

Life span, cycles: 50,000

Cables: RG174A/U, RG179B/U, RG187A/U, RG188A/U, RG316/U

The part number is a reference to the die set without frame.

Following dies are also available:




PCC 5310/10 WC

PCC-5310 Die set with nest 1.69 mm, 4.52 mm/.067\", .178\", HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.


- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the die set without frame.

Following dies are also available:




Die profile



Crimp profile


TECHNICAL DATA

Length: 38 mm/1.5"
Width: 21 mm/0.83"
Height: 8 mm/0.31"
Weight: 30 gr/0.07 lb
Crimp dimensions mm/mm²:
 1.69 mm HEX/4.52 mm HEX
Crimp dimensions inch/AWG:
 0.067\"/0.178
Connector: Coaxial connector
Description: For type BT connectors.
Life span, cycles: 50,000
Cables: RG122/U, RG180B/U,
 RG279/U, RG303/U




PCC 5310/11 WD

PCC-5310 Die set with nest 1.69 mm, 5.41 mm/.067\", .213\", HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.



Die profile



Crimp profile


- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

TECHNICAL DATA

Length: 38 mm/1.5"
Width: 21 mm/0.83"
Height: 8 mm/0.31"
Weight: 30 gr/0.07 lb
Crimp dimensions mm/mm²:
 1.69 mm HEX/5.41 mm HEX
Crimp dimensions inch/AWG:
 0.067/0.213
Connector: Coaxial connector
Description: For type BT connectors.
Life span, cycles: 50,000
Cables: RG142B/U, RG223/U, RG302/U, RG58C/U

The part number is a reference to the die set without frame.

Following dies are also available:




PCC 5310/12 WE

PCC-5310 Die set with nest 1.69 mm, 6.48 mm/.067\"V, .255\"V, HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.


- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the die set without frame.

Following dies are also available:



Die profile



Crimp profile

TECHNICAL DATA

Length: 38 mm/1.5"

Width: 21 mm/0.83"

Height: 8 mm/0.31"

Weight: 30 gr/0.07 lb

Crimp dimensions mm/mm²:

1.69 mm HEX/6.48 mm HEX

Crimp dimensions inch/AWG:

0.067/0.255

Connector: Coaxial connector

Description: For type BT connectors.

Life span, cycles: 50,000

Cables: RG108A/U, RG210/U,


RG59B/U, RG62A/U, RG62B/U,

RG71B/U




PCC 5310/4,3

PCC-5310 Die set with nest 4.30 mm/.169", HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.



Die profile



Crimp profile

- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

TECHNICAL DATA

Length: 38 mm/1.5"

Width: 21 mm/0.83"

Height: 8 mm/0.31"

Weight: 30 gr/0.07 lb

Crimp dimensions mm/mm²:

4.30 mm HEX

Crimp dimensions inch/AWG:

0.169

Connector: Coaxial connector

Description: For type BT connectors.

Life span, cycles: 50,000


The part number is a reference to the die set without frame.

Following dies are also available:




PCC 5310/3,80

PCC-5310 Die set with nest 3.80 mm/.150", HEX-Crimp. This is one of the interchangeable crimp die sets for the PCC-5310 frame. The user can cover several coaxial connectors in just one tool frame.



Die profile



Crimp profile

- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability.

TECHNICAL DATA

Length: 38 mm/1.5"

Width: 21 mm/0.83"

Height: 8 mm/0.31"

Weight: 30 gr/0.07 lb

Crimp dimensions mm/mm²:

3.80 mm HEX

Crimp dimensions inch/AWG:

0.150

Connector: Coaxial connector

Description: For type BT connectors.

Life span, cycles: 50,000

Cables: ST212, ST214

The part number is a reference to the die set without frame.

Following dies are also available: